

DEVELOPMENT SERVICES DEPARTMENT

BUILDING DIVISION

276 Fourth Avenue Chula Vista CA 91910

619-691-5272

619-585-5681 FAX

FORM 4565

MOBILEHOME PARK BUILDING PERMIT WORKSHEET

Per Title 25, Section 1018, a permit is required for the installation of a mobile home, accessory structures and any relocation of utilities outside the mobile home coach. Any changes to the coach itself, must be submitted to and approved by the State of California Housing and Community Development Department.

A PERMIT IS NOT REQUIRED FOR:

- Minor maintenance work to including the replacement of existing utility metering devices.
- Previously installed portable air conditioning equipment reinstalled with the unit installation.
- The installation of a storage cabinet on a lot. Storage cabinets of 120 square feet or less in floor area (the total, combined floor area of all storage cabinets on a lot shall not exceed 120 square feet).
- Construction or installation of a stairway having a landing not to exceed twelve (12) square feet.
- · A landing less than 12 square feet in area
- · Construction or installation of a window or door awning.
- Construction or installation of removable insect screening, flexible plastic or canvas type material used as an awning or as an awning or carport enclosures.
- Construction or installation of a retaining wall less than four (4) feet in height measured from the bottom of the
 footing to the top of the wall, unless it is supporting a surcharge. For the purpose of this section, a surcharge
 is any additional soil or load placed on the existing soil retained by the wall.
- Construction or installation of a patio, as defined in section 1002(p)(3)
- Fences not over six (6) feet high.

All work must comply with Title 25 requirements.

NOTE: Work exempt from building permits must meet Title 25 requirement and/or California Building Codes.

A PERMIT IS REQUIRED FOR:

Mobile Home Installation - Please provide the following:

- Completed FORM 4565
- Manufacturer's Installation Manual
- If manual does not include tie down system:
 - Foundation/support system State approved or approved by a licensed architect or engineer
 - Tie down system State approved or approved by a licensed architect or engineer
- Relocation of utilities outside the mobile home coach

Mobile Home Accessory Structures - Please provide the following:

- Completed FORM 4565
- SPA approved plans
- If SPA approved plans are not used:
 - Plans must conform to California Building Codes

Earthquake Resistant Bracing System (ERBS) - Please provide the following:

- Completed FORM 4565
- State approved Earthquake Resistant Bracing System

Lot Line Change - Please provide the following:

 Completed application form for Lot line Change in a Mobile Home Park and required submittal documents per Section 1105 and Title 25.

Two copies of all forms and plans are required at submittal. A third copy of the mobile home plot plan sheet is required. After submittal of the above, a pre-inspection will be made prior to issuance of a permit. Assure that lot lines are marked and placement of mobile home and accessory structures are marked with stakes and/or flags. Should you have further questions, contact a Development Services Technician at 691-5272 extension 2332.

MANUFACTURED HOME/MOBILE HOME PLOT PLAN INSTRUCTIONS

SECTION 1. PLOT PLAN DIAGRAM

scale, showing all that is required by this document and Title 25 Note: If the lot is not rectangular in shape, you must submit a separate plot plan, drawn to

- Indicate the front of the manufactured home/mobilehome and show all adjacent roadways
- the location and dimensions of the exterior porch and/or stairway serving the doors. Identify on the plot plan the location of the two required exterior exit doors and show/outline
- structure(s). Also, identify on the plot plan designated vehicular parking area(s) structure is of combustible or non-combustible material. Indicate the length and width of the approximate location and identify the structures by type (i.e. deck, awning, etc.) and if the Draw in any proposed structure(s) and existing structures on the plot plan diagram at the
- Indicate any roadway bordering the lot.
- measurements between the respective arrows. All distances given shall include the shortest Fill in the distances from all property/lot lines to all existing or proposed structures. Enter the
- If they are greater than 10 feet from your property/lot lines (including eaves) insert [>10'] in Sketch in and provide actual distances from any structure located on adjacent properties/lots

SECTION 2. MANUFACTURED HOME/MOBILEHOME AND LOT COVERAGE

calculate the area (A) Enter the length and width of the manufactured home/mobilehome, including overhangs, and

Calculate total area of accessory structures, including overhangs (B)

Enter the length and width of the lot and calculate the area (C).

the "lot coverage" which must not exceed 75% (see item I below under Important Information. (A+B), then divide the sum by the lot area (C) and multiply by 100. The resulting number is Add the projected areas of the manufactured home/mobilehome and accessory structure(s)

SECTION 3. APPLICANT, OWNER AND HOME INFORMATION

- If the manufactured home/mobilehome is located in a park, enter the name and address of the
- Enter the name and address of the registered owner of the home/mobilehome
- БÜ Enter the name, address, and telephone number of the applicant
- required for the locality where the manufactured home/mobilehome is installed Enter the home amperage, pedestal amperage, designed roof load, and the roof load
- Indicate how the lot line corners are permanently marked in the area provided

SECTION 4. EARTHQUAKE RESISTANT BRACING SYSTEM

ERBS is to be installed, a permit is required and the system must be State approved The installation of an earthquake resistant bracing system (ERBS) is optional. However, if an

SECTION 5. CERTIFICATION

If installed within a park, a copy of the completed form must also be provided to the park form is signed. The applicant must provide a copy of this completed form to the homeowner. Obtain the signature of the park owner, operator, or manager. Indicate the date and place the owner, operator, or manager. Return 3 copies of the completed form, with the Minor Permit

Important Information:

- 7 Within mobilehome parks constructed on or after 9/15/61, minimum distances from a manufactured home/ mobilehome to:
- A permanent building = 10 feet, including eaves;
- Another manufactured home/mobilehome, installed, including eaves
- Side to side = 10 feet
- 9 Side to rear or front = 8 feet
- Rear or front to a rear or front = 6 feet

- permanent building or another manufactured home/mobilehome is required. Within mobilehome parks constructed prior to 9/15/61, 6 feet minimum setback to any
- Manufactured home/mobilehomes or accessory structures shall not be located: Over underground gas piping, unless the gas piping is installed in gas tight sleeves (carports excepted)

ဂ œ

- ώΝ Over main sewer line clean outs.
- Over, or within, 5 feet of septic tank
- Over, or within, 8 feet of sewage disposal fields.
- တ္တ Under overhead insulated electrical conductor, unless 8 feet of clearance is provided
- So as to restrict access to park electrical equipment.
- Over lot gas risers or gas meters.
- Additionally, accessory structures shall not be located:

Ō

- So as to restrict access or ventilation of lot gas risers/meters
- So as to block:
- Required light or ventilation in the manufactured home/mobilehome.
- 9 Required egress windows or exit doors in the manufactured
- <u></u> Access to the manufactured home/mobilehome's appliances

Ш

- combustible framing (walls/roof) may be placed up to a lot line, provided there is 3 feet cabinets (sheds), awning posts, decks, etc., must be at least 3 feet from lot/property lines All combustible construction, including mobilehomes/manufactured homes, eaves, storage clearance from any structure on an adjoining lot. (except lot/property lines bordering roadways). Note: Metal storage cabinets (sheds) with no
- home/ mobilehome or park property lines. Large liquefied petroleum (LP) gas tanks shall be a minimum of 10 feet from manufactured

П

- I g Each lot line corner shall be <u>clearly and permanently</u> marked <u>prior</u> to construction and a inspection. Failure to identify the lot line corners will result in termination of inspection and a re-inspection will be required.
- exceeding these limits are considered storage buildings. Storage buildings require a permit Plot plans and permits are not required for storage cabinets (sheds), provided the cabinets do and must be constructed to specific standards. lot, having a combined total floor area of not more than 120 square feet. Storage cabinets not exceed 120 square foot floor area. A maximum of two storage cabinets are allowed, per
- manufactured home/mobilehome, awnings, carports, storage cabinets, porches, etc. The total occupied area of a lot may not exceed 75% of the lot area, including the Driveways, walkways, slabs and similar flat work are not subject to this limitation.
- ᄌ ب A Flood Plain Ordinance Compliance certificate (HCD Form 547) is required for manufactured For manufactured home/mobilehome installation inspections all exterior doorways shall be Management program. The HCD Form 547 is available from this Dept. home/mobilehome installations where the local government has adopted a Flood Plain
- ŗ A minimum clearance of 18 inches shall be maintained beneath the underside of the floor conforming with the provisions of article 9 of Title 25. oists, and 12" beneath the main chassis beams.

provided with a complying stairway, porch, and/or ramp at the time of the home installation

- Ζ The installation of a mobilehome and/or accessory structures shall not alter existing drainage patterns established at time of park/lot construction or divert drainage paths on to adjacent
- combustible/flammable material including bushes, weeds and similar organic matter. The under floor space of mobilehomes and/or accessory structures shall be clear of all

Z

11/13/2001




DEVELOPMENT SERVICES DEPARTMENT BUILDING DIVISION

276 Fourth Avenue Chula Vista CA 91910

619-409-5428 FAX

MANUFACTURED HOME/MOBILEHOME PLOT PLAN (See enclosed instructions and Information sheet)



 $J_{\mathbf{p}'}$



DEV ELOPMENT SERVICES DEPARTMENT BUILDING DIVISION


276 Fourth Avenue Chula Vista CA 91910

619-691-5272 61

619-409-5428 FAX

MANUFACTURED HOME/MOBILEHOME AND/OR ACCESSORY STRUCTURES PLOT PLAN

(See enclosed Instructions and Information sheet)



(FOR DEPARTMENTAL USE ONLY) Description of Proposed Work:	Address		City Zip Space or Lot # Tel # B) Home Owner Zip Address Zip	Lot coverage (((A+B)/C) X100) =% (Not to exceed 75%) SECTION 3. APPLICANT, OWNER, AND HOME INFORMATION A) Park NameAddress	SECTION 2. MANUFACTURED HOME/MOBILEHOME AND LOT COVERAGE Area of manufactured home/mobilehome (length X width - to include overhangs): A = X = Square Feet Area of accessory structures (to include overhangs) = B = Square Feet Area of lot (length X width) = C = X = Square Feet
PERMIT NO.	Executed on at City State Date City State Signature of Park Owner, Operator, or Manager	onstru signed lws of and co	Manufacturer's Name Certification No. Brand Or Model Name Model No. Check One, As appropriate: New Installation Reinstallation SECTION 5. CERTIFICATION	SECTION 4. EARTHQUAKE RESISTANT BRACING SYSTEM (If Provided	F) Design Information: Home Amperage: Designed Roof Load: Design Wind Load MPH Wind load for locality: MPH Wind load for locality MPH Wind load for locality MPH MPH MPH The lot line corners at the front and rear are clearly and permanently marked in the following manner:

MHP Form 4565c